

INDEX MAPS.

T.23N. R.9E. 2nd Mer.

	5	5	5	5	4	4						
7	6	28	5	22	4	18	3	14	2	1	4	
	28		27		22		18		14		10	
7	7	27	8	24	9	17	10	13	11	10	12	3
	26		26		21		17		13		10	
7	18	25	17	21	16	17	15	13	14	9	13	3
	25		25		20		16		12		9	
6	19	24	20	20	21	16	22	12	23	9	24	3
	24		24		19		16		12		9	
6	30	24	29	19	28	15	27	11	26	8	25	3
	23		23		19		15		11		8	
6	31	23	32	18	33	14	34	11	35	8	36	2
	2		2		1		1		1		1	

T.24N. R.9E. 2nd Mer.

	47		47		47		46		46		46	
49	6	68	5	63	4	60	3	58	2	52	1	45
	68		67		63		57		57		52	
48	7	67	8	62	9	59	10	57	11	52	12	45
	67		66		62		56		56		51	
48	18	66	17	62	16	59	15	56	14	51	13	45
	66		66		61		56		55		51	
48	19	65	20	61	21	59	22	55	23	50	24	45
	65		65		61		54		54		50	
48	30	64	29	60	28	58	27	54	26	50	25	44
	64		64		60		53		53		49	
47	31	63	32	60	33	58	34	53	35	49	36	44
	44		44		43		43		43		43	

The figures on the lines refer to the page.

Township 14 North, Range 9 East 2nd Mer. Ind. #43

South Boundary.

Var. 6°45' E.

West on S. Side of Sec. 36.

40.00 Let gr. Sec. post from which
a Beech 18 in. dia. bears N 15 E 21 1/2 W. dist. 8
a W. Oak 10 " " " S 80 E 25 " "

80.00 Let Post Co. to Sect. 35 & 36 from which
a W. Oak 12 in. dia. bears S 51 W 16 1/2 W. dist. 8
a Do 10 " " " N 55 E 8 " "

Sand rich. Timber Beech. Sugar &c.

West on S. Side of Sec. 35

40.00 Let gr. Sec. post from which
a Sugar 10 in. dia. bears S 33 E 11 1/2 W. dist. 8
a Do 12 " " " S 15 W 18 " "

80.00 Let Post Co. to Sect. 34 & 35 from which
an Elm 12 in. dia. bears S 3 W 5 1/2 W. dist. 8
a Beech 12 " " " N 40 W 4 " "

Sand & Timber same as on the last line.

West on S. Side of Sec. 34

40.00 Let gr. Sec. post from which no bearings
Post set in Swamp —

80.00 Let Post Co. to Sect. 33 & 34 from which
a Beech 24 in. dia. bears N 45 E 20 1/2 W. dist. 8
an Ironwood 10 " " " S 66 W 17 " "

Sand & Timber same as on the last line.

West on S. Side of Sec. 33 —

40.00 Let gr. Sec. post from which
a Cottonwood 8 in. dia. bears N 1 E 13 1/2 W. dist. 8
a Do 10 " " " S 30 W 19 " "

79.50 at Branch 15 1/2 W. wide Course S. W.

80.00 Let Post Co. to Sect. 32 & 33 from which
an Ash 18 in. dia. bears N 79 E 17 1/2 W. dist. 8
a Beech 24 " " " S 72 W 48 " "

Land & Timber same as on the last line.

West on S. Side of Sec. 32

40.00 Set gr. Sec. Post from which
 a Beech 12 in. dia. bears S 36 E 21 W. dist. 8
 a Buckeye 10 " " " N 48 W 34 " "
 80.00 Set Post con. to Secs. 31 & 33 from which
 a Sugar 18 in. dia. bears N 24 E 13 W. dist. 8
 an Ironwood 10 " " " S 3 E 30 " "
 Land & Timber same as on the last line.

West on S. Side of Sec. 31

40.00 Set gr. Sec. Post from which
 an Ironwood 10 in. dia. bears S 80 E 33 W. dist. 8
 a W. Oak 10 " " " N 29 W 16 " "
 76.25 Intersect North Line between Ranges 8 & 9
 East Towns 23 & 24 North West Post
 Bearings & Description of Land omitted

East Boundary

Var. 6° 45' E.

North on E. Side of Sec. 36.

40.00 Set gr. Sec. Post from which
 a Mulberry 18 in. dia. bears N 17 W 36 W. dist. 8
 a Sugar 12 " " " S 50 E 23 " "
 80.00 Set Post con. to Secs. 35 & 36 from which
 a Beech 12 in. dia. bears S 10 E 40 W. dist. 8
 a Do 10 " " " N 83 W 22 " "
 Land rich. Timber Beech, Sugar &c

North on E. Side of Sec. 25

34.90 a Beech 24 in. dia.
 40.00 Set gr. Sec. Post from which
 a Logwood 10 in. dia. bears S 64 E 5 W. dist. 8
 a Hickory 10 " " " N 75 W 35 " "
 80.00 Set Post con. to Secs. 24 & 25 from which -

T. H. N. - R. G. E. 2nd Mer. Indiana ⁴⁵

an Ash 10 in. dia. bears 420 E 7 W. dist. 8
 an Elm 10 " " " 481 W 10 " "
 Wet Sand, Timber Maple.

North on E. Side of Sec. 24

40.00 Set gr. Sec. post from which
 at Beech 18 in. dia. bears N 41 W 31 W. dist. 8
 at B. Oak 10 " " " 425 E 5 " "
 80.00 Set post cor. to Secs. 13 & 24 from which
 a W. Oak 24 in. dia. bears 431 W 13 W. dist. 8
 at Beech 12 " " " N 1 W 16 " "
 Timber Beech &c

North on E. Side of Sec. 13

40.00 Set gr. Sec. post from which
 a R. Oak 12 in. dia. bears N 56 W 15 W. dist. 8
 an Ash 8 " " " East 11 " "
 80.00 Set post cor. to Secs. 12 & 13 from which
 a W. Oak 12 in. dia. bears N 34 W 9 W. dist. 8
 at Beech 12 " " " 465 E 27 " "
 Wet Sand.

North on E. Side of Sec. 12

40.00 Set gr. Sec. post from which
 an Ash 12 in. dia. bears N 33 E 9 W. dist. 8
 a Do 12 " " " 479 W 21 " "
 80.00 Set post cor. to Secs. 1 & 12 from which
 an Ash 8 in. dia. bears 434 W 7 W. dist. 8
 at W. Oak 12 " " " N 41 E 4 " "
 Land as before

North on E. Side of Sec. 1

40.00 Set gr. Sec. post from which
 at Beech 12 in. dia. bears N 29 W 12 W. dist. 8
 a Do 24 " " " N 89 E 21 " "
 46.00 at Branch 15 W. wide corner N. W.

T. H. N. - R. 9 E. 2nd Mer. Indiana.

84.00 Set Post Co. to Townships 24 & 25 North,
 Range 9 & 10 East, from which
 a W. Oak 36 in. dia. bears N 56 W 26 W. dist. 8
 a Hickory 12 " " " 469 E 14 " "
 Sand & rich. Timber Beech. Sugar. Ash &c
 March 29th 1830

North Boundary

Var. 6° 10' E.

West on S. Side of Sec. 36 T. 25 N. - R. 9 E -
 40.00 Set gr. Sec. post from which
 a Beech 9 in. dia. bears S 50 W 34 W. dist. 8
 a Do 14 " " " N 20 E 41 " "
 80.00 Set post cor. to Secs. 35 & 36 from which
 a Beech 12 in. dia. bears S 6 W 15 W. dist. 8
 a W. Oak 8 " " " N 55 W 22 " "
 Rich Sand. Beech. Sugar. Spruce &c

West on S. Side of Sec. 35 T. 25 N. - R. 9 E -
 40.00 Set gr. Sec. post from which
 a Sugar 18 in. dia. bears S 34 W 19 W. dist. 8
 a Do 12 " " " S 70 E 16 " "
 80.00 Set post cor. to Secs. 34 & 35 from which
 a Beech 12 in. dia. bears S 32 E 16 W. dist. 8
 a W. Oak 12 " " " N 60 W 17 " "
 Sand & Timber same as on the last line.

West on S. Side of Sec. 34 T. 25 N. - R. 9 E -
 40.00 Set gr. Sec. post from which
 a Beech 14 in. dia. bears S 61 W 29 W. dist. 8
 a Hickory 15 " " " N 31 E 16 " "
 80.00 Set post cor. to Secs. 33 & 34 from which
 an Ironwood 6 in. dia. bears S 36 E 16 W. dist. 8
 a Beech 18 " " " N 23 W 11 " "
 Sand & Timber same as on the last line -

T. D. N. R. 9 E. 2nd Mer. Indiana 47

West on E. Side of Sec. 33 T. 25 N. - R. 9 E.
 40.00 Let gr. Sec. post in Swamp. no bearing trees
 80.00 Let post cor. to Sect. 32 & 33 from which
 a Beech 12 in. dia. bears N 63 E 12 1/2 W. dist. 8
 a Do 12 " " " N 74 W 24 " "
 Sand & Timber same as on the last line -

West on E. Side of Sec. 33 T. 25 N. - R. 9 E.
 40.00 Let gr. Sec. post from which
 an Ash 6 in. dia. bears N 35 E 7 1/2 W. dist. 8
 a Beech 4 " " " S 35 W 6 " "
 80.00 Let post cor. to Sect. 31 & 33 from which
 an Ash 8 in. dia. bears N 41 E 8 1/2 W. dist. 8
 a Beech 4 " " " S 48 W 10 " "
 Sand & Timber same as on the last line.

West on E. Side of Sec. 31 T. 25 N. - R. 9 E.
 40.00 Let gr. Sec. post from which
 a Beech 12 in. dia. bears S 71 E 22 1/2 W. dist. 8
 a Do 9 " " " N 30 W 21 " "
 73.35 To Town corner.

West Boundary

Var. 6° 45' E.

North on E. Side of Sec. 36 T. 24 N. - R. 8 E -
 32.65 a Sugar 15 in. dia.
 40.00 Let gr. Sec. post from which
 a R. Oak 31 in. dia. bears N 43 E 3 1/2 W. dist. 8
 an Ironwood 6 " " " N 39 W 5 " "
 65.30 a Beech 12 " "
 77.00 a Creek 50 W. wide course S. W.
 80.00 Let post cor. to Sect. 35 & 36 from which
 a Hickory 15 in. dia. bears S 10 W 37 1/2 W. dist. 8
 a W. Oak 22 " " " N 45 W 26 " "
 Rolling land, Timber Beech, Sugar, Ash,
 Oak, Jr. ringth Spruce &c.

T. 24 N. - R. 9 E. 2nd Mer. Indiana

North on E. Side of Sec. 25 T. 24 N. - R. 8 E.

40.00 Let gr. Sec. post from which

a Beech 18 in. dia. bears N 31 E 32 1/2 W. dist. 8

a Do 10 " " " S 48 E 30 " "

56.57 a Do 15 " "

75.50 a Brook 10 W. wide Course N. W.

80.00 Let post cor. to Sec. 24 & 25 from which

an Ash 8 in. dia. bears S 87 E 30 W. dist. 8

an Ironwood 6 " " " S 44 W 34 " "

Land & Timber same as on the last line.

North on E. Side of Sec. 24 T. 24 N. - R. 9 E.

12.48 a Beech 14 in. dia.

40.00 Let gr. Sec. post from which

a Beech 20 in. dia. bears S 60 E 15 W. dist. 8

a Do 8 " " " N 51 W 32 " "

80.00 Let post cor. to Sec. 13 & 24 from which

a Beech 26 in. dia. bears N 23 E 34 W. dist. 8

an Ash 18 " " " S 18 W 10 " "

Land & Timber same as on the last line.

North on E. Side of Sec. 13 T. 24 N. R. 8 E.

21.75 a Beech 12 in. dia.

40.00 Let gr. Sec. post from which

a W. Oak 30 in. dia. bears N 35 W 23 W. dist. 8

a Do 20 " " " S 48 W 16 " "

80.00 Let post cor. to Sec. 12 & 13 from which

a Hickory 4 in. dia. bears S 59 E 3 W. dist. 8

a W. Oak 15 " " " N 66 W 21 " "

Land & Timber same as on the last line.

North on E. Side of Sec. 12 T. 24 N. R. 8 E.

17.50 a Crab 30 W. wide Course N. W.

40.00 Let gr. Sec. post from which

a Buckeye 11 in. dia. bears North 13 W. dist. 8

a W. Oak 8 " " " S 35 E 13 " "

T. H. N. - R. G. E. ^{Ind} Mer. Indiana ⁴⁹

80.00 Set Post Cor. to Sec. 1 & 12 from which
a Beech 20 in. dia. bears N 36 E 25 W. dist. 8
an Ironwood 8 " " " West 20 " "
Land & Timber same as on the last line.

North on E. Side of Sec. 1 T. H. N. - R. 8 E -

40.00 Set gr. Sec. post from which
a Live Oak 20 in. dia. bears N 35 E 24 W. dist. 8
a Do 8 " " " N 87 W 35 " "

77.00 Set Post Cor. to Townships 24 & 25 North, Ranges
8 & 9 East, from which
a Beech 42 in. dia. bears N 68 E 15 W. dist. 8
a Do 12 " " " N 23 E 37 " "
Land & Timber same as on the last line.

March 31st 1820 Surveyed by
John M. McDonald Dep. Sur.

Subdivisions

Var. 6° 45' E.

North Return Sec. 35 & 36 -

4.00 a Stream 3 W. wide Course N. E.

14.00 Do 6 " " " N. W.

27.00 a Creek 15 " " " West.

40.00 Set gr. Sec. post from which
an Ironwood 8 in. dia. bears N 45 W 13 W. dist. 8
a Hickory 10 " " " N 38 E 37 " "

60.50 a Branch 6 W. wide Course N. W.

66.00 a Swamp 4.00 wide

80.00 Set Post Cor. to Sec. 35, 36, 35 & 36 from which
a Beech 20 in. dia. bears N 47 E 17 W. dist. 8
a Maple 10 " " " S 60 W 20 " "
Land lent 3rd rate. This line crosses the
track of a tornado.

East on Random between Sec. 25 & 36 -

5.00 a Swamp 5.00 wide course N. W.

T. H. N. - N. G. E. 2nd Mer. Indiana

40.00 Let temp. g. Sec. post.
 78.10 Intersect E. Bound. line 20th. N. of post.
 Sand & Timber as before.

West Corner between Secs. 25 & 26.

39.05 Let gr. Sec. post at average dist. from which
 a Beech 15 in. dia. bears S 8 W 26 W. dist. 7
 a Do 16 " " " East 35 " "
 78.10 To Sec. Corner.

North Between Secs. 25 & 26.

13.10 at Beech 18 in. dia.
 35.00 Enter a Swamp.
 40.00 Let gr. Sec. post in Swamp.
 55.50 Dry land.
 56.00 at Beech 22 in. dia.
 80.00 Let Post cr. to Secs. 23, 24, 25 & 26 from which
 a W. Oak 8 in. dia. bears N 7 E 8 W. dist. 8
 a Hickory 12 " " " S 35 E 29 " "
 Hallow Timber continues -

East on Random between Secs. 24 & 25 -

35.00 Enter a Swamp.
 40.00 Let temp. g. Sec. post.
 50.00 Dry land.
 70.00 Enter Swamp.
 78.60 Intersect E. Bound. line in Swamp no post
 found. - Sand wet 3rd rate

West Corner between Secs. 24 & 25 -

39.30 Let gr. Sec. post at average dist. from which
 a Willow 6 in. dia. bears North 5 W. dist. 8
 a Do 4 " " " S 40 E 10 " "
 78.60 To Sec. Corner.

North Between Secs. 23 & 24 -

T. D. N. - N. G. E. 2nd Mer. Indian 51

4.00 Enter a Mer. main
 36.00 Enter Wood land.
 40.00 Let gr. Sec. Post from which
 an Ash 6 in. dia. bears N 37 E 8 W. dist. 8
 a Do 7 " " " 47 78 " "
 40.42 a Locust 14 " "
 80.00 Let Post Cor. to Secs. 13, 14, 23 & 24 from which
 a Beech 20 in. dia. bears N 78 E 44 W. dist. 8
 a Do 18 " " " N 38 W 29 " "
 Land 200 3rd rate.

East on Random between Secs. 13 & 24 -
 20.00 Enter a Locamp.
 40.00 Let temp. gr. Sec. Post.
 66.00 Timbered land.
 77.00 Intersect E. Bound. line 15 W. N. of Post.

West Corner between Secs. 13 & 24 -
 38.50 Let gr. Sec. Post at average distance in
 Locamp. no witnesses.
 77.00 To Sec. Corner.

North between Secs. 13 & 14 -
 40.00 Let gr. Sec. Post from which
 a Buckeye 8 in. dia. bears S 9 E 10 W. dist. 8
 a Do 6 " " " N 44 W 26 " "
 50.50 an Ash 20 " "
 80.00 Let Post Cor. to Secs. 11, 12, 13 & 14 from which
 a Beech 10 in. dia. bears S 81 E 15 W. dist. 8
 a Black 26 " " " N 81 W 16 " "
 Land lent 2nd rate Timber 4 Beech, Ash &
 Ungth Spruce, Hickory &c.

East on Random between Secs. 12 & 13 -
 40.00 Let temp. gr. Sec. Post.
 77.68 Intersect E. Bound. line 300 W. N. of Post.

West corner between Secs. 12 & 13.

38.84 Set g. sec. post at average dist. from which
 a Beech 24 in. dia. bears S 86 E 30 W. dist. 8
 an Ash 6 " " " N 45 W 12 " "
 77.68 To Sec. Corner.

North Between Secs. 11 & 12

30.30 a Sugar 24 in. dia.

40.00 Set g. sec. post from which
 an Ash 18 in. dia. bears N 74 E 17 W. dist. 8
 a Walnut 14 " " " S 55 E 14 " "

62.00 a Locust 10 " "

80.00 Set Post Co. to Secs. 1, 2, 11 & 12 from which
 an Aspen 10 in. dia. bears N 43 E 15 W. dist. 8
 a Beech 8 " " " S 84 W 8 " "

Sand inclining to wet.

East on Random between Secs. 1 & 12 -

1.00 Enter a Swamp

6.00 Timber

40.00 Set temp. g. sec. post.

77.71 Intersect E. Bound. line 375 W. N. of post.
 Sand Swampy, Timber as before.

West corner between Secs. 1 & 12

38.855 Set g. sec. post at average dist. from which
 a Beech 15 in. dia. bears S 5 E 13 W. dist. 8
 a Do 24 " " " N 60 W 33 " "

77.71 To Sec. Corner.

North Between Secs. 1 & 2

33.81 a Beech 20 in. dia.

40.00 Set g. sec. post from which

a Beech 18 in. dia. bears N 20 W 11 W. dist. 8
 a Hickory 30 " " " S 34 W 21 " "

62.50 a Beech 10 " "

T. H. N. R. G. E. 2nd Mer. Indiana 53

70.00 a Swamp 5.00 wide.
 80.50 Intersect N. Bound. line 140th E. of post -
 where set post Co. to Sec. 142 from which
 a Sugar 15 in. dia. bears N 34 W 17 W. dist. 8
 a Do 30 " " " S 50 E 24 " "
 Sand level & rock -

North Between Secs. 34 & 35.

11.50 a Branch 5th wide Course N.W.
 40.00 Set gr. Sec. post from which
 a Hickory 15 in. dia. bears N 45 W 6 W. dist. 8
 a Do 16 " " " S 84 E 11 " "
 71.00 a Creek 45th wide Course N.W.
 80.00 Set post Co. to Secs. 36, 37, 34 & 35 from which
 a Walnut 8 in. dia. bears S 81 W 35 W. dist. 8
 a Hickory 4 " " " N 34 E 10 " "
 Sand rolling 2nd rate. Timber Beech. Oak &
 but all blown down. ring^d. Birch &c.

East on Random between Secs. 36 & 35 -

40.00 Set temp. gr. Sec. post.
 79.87 Intersect N.S. line 34 W. & N. of Post.
 Sand level. this line in fallen Timber -

West correct between Secs. 36 & 35 -

39.93¹/₂ Set gr. Sec. post at average distance.
 Bearings omitted
 79.87 To Sec. Corner.

West on Random between Secs. 37 & 34 -

12.50 a Creek 50th wide Course N.W.
 30.00 a Branch 10 " " " North.
 40.06 Set gr. Sec. post. (temp.)
 80.07 Intersect N.S. line 350 W. S. of Post

East correct between Secs. 37 & 34 -

T. D. N. - N. G. E. 2nd Mer. Indian a.

40.03 Set gr. Sec. post at average dist. from which
 a Beech 18 in. dia. bears S 21 W 30 W. dist. 8
 a W. Oak 20 " " " N 38 W 31 " "
 80.07 To Sec. Corner

North Return Sec. 26 & 27 -

40.00 Set gr. Sec. post from which
 an Elm 6 in. dia. bears S 11 E 44 W. dist. 8
 an Ironwood 4 " " " N 1 W 21 " "
 43.50 a Swampy prairie
 68.50 Timber
 70.75 a Beech 18 in. dia.
 80.00 Set post con. to Sec. 22, 23, 26 & 27 from which
 an Ironwood 6 in. dia. bears S 88 E 46 W. dist. 8
 a Hickory 3 " " " S 53 W 12 " "
 Land rolling. Timber Beech. Ash. Ungth.
 Pines. 1st 2 miles fallen timber. Last 1/2
 mile partially so.

East on Random between Sec. 23 & 26 -

16.50 a Branch 15 W. wide Course S.
 40.00 Set temp. gr. Sec. post.
 80.14 Intersect M.S. line 75 W. N. of post.
 Land level & wet.

West correct between Sec. 23 & 26 -

40.07 Set gr. Sec. post at average dist. from which
 a Beech 18 in. dia. bears N 49 E 31 W. dist. 8
 a Do 22 " " " N 3 E 37 " "
 80.14 To Sec. Corner.

West on Random between Sec. 22 & 27 -

40.00 Set temp. gr. Sec. post.
 68.50 a Branch 10 W. wide Course S. W.
 78.54 Intersect M.S. line 75 W. S. of post.
 Some fallen Timber.

I. D. N. - W. G. E. 2nd Mer. Indiana 55

East corner between Secs 22 & 27.

39.97 Set gr. Sec. post at average dist. from which
 a Beech 15 in. dia. bears N 48 E 31 1/2th dist. &
 a Do 18 " " " S 30 W 31 " "
 78.54 To Sec. corner.

North Between Secs 22 & 23 -

31.00 a Branch 10 1/2th wide Corner E -
 40.00 Set gr. Sec. post from which
 a Hickory 14 in. dia. bears N 43 W 25 1/2th dist. &
 a Dogwood 3 " " " N 6 E 13 " "
 51.54 a W. Oak 10 " "
 60.00 a Swamp -
 71.00 Timber
 80.00 Set Post cor. to Secs 14, 15, 22 & 23 from which
 an Ash 18 in. dia. bears N 6 W 27 1/2th dist. &
 a Hickory 4 " " " S 42 E 11 " "
 Land lent & ret.

East on Random between Secs 14 & 23 -

40.00 Set temp. gr. Sec. post.
 79.50 Intersect Md. line 110 1/2th N. of post.

West corner between Secs 14 & 23 -

39.75 Set gr. Sec. post at average dist. from which
 an Ash 5 in. dia. bears S 86 W 18 1/2th dist. &
 a Do 6 " " " S 88 W 16 " "
 79.50 To Sec. corner.

West on Random between Secs 15 & 22.

40.00 Set temp. gr. Sec. post.
 78.71 Intersect Md. line 254 1/2th S. of post.

East corner between Secs 15 & 22

39.35 Set gr. Sec. post at average dist. from which
 an Elm 14 in. dia. bears N 43 E 7 1/2th dist. &

a Hickory - in. dia. bears $\text{S } 35^{\circ} \text{ W } 11 \text{ W. dist.}$
 78.71 To Sec. Corner.

North between Secs. 14 & 15

30.56 a Sugar 20 in. dia.

40.00 Set q. Sec. Post from which

a Beech 18 in. dia. bears $\text{N } 6^{\circ} \text{ W } 31 \text{ W. dist.}$

a Do 13 " " " $\text{S } 60^{\circ} \text{ E } 5 " "$

68.51 at Branch course N.E.

74.88 a W. Oak 14 in. dia.

80.00 Set Post cor. to Secs. 10, 11, 14 & 15 from which
 a Beech 20 in. dia. bears $\text{S } 9^{\circ} \text{ E } 21 \text{ W. dist.}$
 a Do 24 " " " $\text{N } 83^{\circ} \text{ W } 18 " "$

East on Random between Secs. 11 & 14.

4.50 at Branch 7 W. wide course N.W.

40.00 Set temp. q. Sec. Post.

78.03 Intersect W. line 55 W. N. of Post.

West correct between Secs. 11 & 14.

39.01 Set q. Sec. Post at average dist. from which

a Beech 18 in. dia. bears $\text{N } 86^{\circ} \text{ E } 16 \text{ W. dist.}$

a Ironwood 4 " " " $\text{S } 87^{\circ} \text{ W } 14 " "$

78.03 To Sec. Corner.

West on Random between Secs. 10 & 15.

40.00 Set temp. q. Sec. Post.

65.00 Enter a Swamp.

76.00 Land

80.12 Intersect W. line 84 W. S. of Post.

East correct between Secs. 10 & 15.

40.06 Set q. Sec. Post at average dist. from which

a W. Oak bears $\text{S } 50^{\circ} \text{ E } 9 \text{ W. dist.}$

a W. Oak " $\text{N } 25^{\circ} \text{ E } 17 " "$

80.12 To Sec. Corner.

T. H. N. - R. G. E. 9th Mer. Indiana 57

North Return Secs. 10 & 11

7.50 at Branch 10th wide corner N.

10.00 at N. Oak 26 in. dia.

15.00 Enter a Swamp.

35.50 Dry Land.

40.00 Set gr. Sec. post from which
on Ironwood 4 in. dia. bears S 60° W 8th dist. }
an Oak 5 " " " S 20° E 14 " "

65.00 Enter a Swamp.

75.60 Dry Land.

80.00 Set Post on to Sec. 2, 3, 10 & 11 from which
an Ash 8 in. dia. bears N 60° E 7th dist. }
a Do 7 " " " S 60° W 9 " "

East on Random between Secs. 2 & 11

40.00 Set temp. gr. Sec. post.

49.00 Swamp.

76.00 Land.

78.50 Intersect M. line 39th W. N. of Post.
Wet Land 3rd rate.

West Correct between Secs. 2 & 11.

39.25 Set gr. Sec. Post at average dist. from which
an Elm 15 in. dia. bears S 68° W 3th dist. }
an Oak 18 " " " N 21° W 3 " "

78.50 To Sec. Corner.

West on Random between Secs. 3 & 10.

40.00 Set temp. gr. Sec. Post.

79.50 Intersect M. line at Post.

East Mark between Secs. 3 & 10.

39.90 Set gr. Sec. Post at average dist. from which
an Ash 18 in. dia. bears N 57° E 8th dist. }
a Beech 16 " " " N 58° W 18 " "

79.80 To Sec. Corner.

T. D. N. - R. G. E. 2nd Mer. Indiana

North Between Lect. 2 & 3

.50 a W. Oak 24 in. dia.

30.75 Enter a Swamp.

39.00 Dry land.

40.00 Set gr. sec. post from which

an Ash 14 in. dia. bears N 43 W 7 W. dist. 8

a Do 5 " " " 43 1 W 4 " "

77.50 Intersect N. Bound. line 250 W. E. of Post.

where set Post con. to Lect. 2 & 3 from which

a Beech 20 in. dia. bears 46 1 W 9 W. dist. 8

a Do 15 " " " 49 E 14 " "

Land cov. Timber Beech, Ash, undenwood &c

Var. 6° 45' E. March 12th 1824

North Between Lect. 33 & 34

8.12 an Elm 20 in. dia.

40.00 Set gr. sec. post from which

a Hickory 15 in. dia. bears N 26 W 17 W. dist. 8

a W. Oak 8 " " " 415 E 10 " "

57.87 a Beech 15 " "

69.10 at Branch 4 W. wide course N. W.

80.00 Set Post con. to Lect. 27, 28, 33 & 34 from which

an Ironwood 6 in. dia. bears 410 E 40 W. dist. 8

a Do 7 " " " N 31 W 20 " "

Land level 3rd water Beech, Ash &c ungth Ash &c

North Between Lect. 27 & 28.

17.92 a W. Oak 18 in. dia.

28.00 at Branch 15 W. wide course N. W.

40.00 Set gr. sec. post from which

a Beech 18 in. dia. bears 48 E 38 W. dist. 8

a Do 18 " " " N 30 E 8 " "

49.30 a Hickory 20 " "

80.00 Set Post con. to Lect. 21, 22, 27 & 28 from which

a Beech 20 in. dia. bears 436 E. 26 W. dist. 8

a Do 13 " " " N 35 E 26 " "

I. D. N. - W. G. E. 2nd Mer. Indiana 59

Land 3rd rate. much fallen timber.

North Between Secs. 21 & 22

16.78 a Beech 20 in. dia.

40.00 Let gr. Sec. Post from which

an Ash 30 in. dia. bears N 13 W 15 W. dist. 8

an Elm 18 " " " S 60 E 12 " "

42.40 a Beech 18 " "

80.00 Let Post Cor. to Secs. 15, 16, 21 & 22 from which

an Elm 15 in. dia. bears S 35 W 30 W. dist. 4

an Ash 6 " " " S 89 E 16 " "

3rd rate Land.

North Between Secs. 15 & 16 -

13.40 an Ash 15 in. dia.

40.00 Let gr. Sec. Post from which

an Elm 26 in. dia. bears S 36 W 18 W. dist. 4

an Ash 6 " " " N 30 E 11 " "

62.30 a Beech 18 " "

69.70 a Do 24 " "

80.00 Let Post Cor. to Secs. 9, 10, 15 & 16 from which

a Beech 14 in. dia. bears N 40 E 24 W. dist. 8

a W. Oak 12 " " " S 39 W 30 " "

Land extremely poor.

North Between Secs. 9 & 10.

14.00 a Maple 20 in. dia.

40.00 Let gr. Sec. Post from which

a W. Oak 7 in. dia. bears S 74 E 5 W. dist. 8

a Hickory 5 " " " West 22 " "

60.46 an Elm 20 " "

80.00 Let Post Cor. to Secs. 3, 4, 9 & 10 from which

an Ash 7 in. dia. bears S 16 W 10 W. dist. 8

a Do 6 " " " N 17 W 9 " "

Land level, inclining to wet. 3rd rate.

T. H. N. - N. G. E. 2nd Mer. Indiana

North Between Secs. 34 & 4 -

25.60 an Ash 18 in. dia.

40.00 Set gr. Sec. post from which
a Maple 10 in. dia. bears S 37 E 62 W. dist. 8
a Do 6 " " " N 7 W 18 " "

75.24 Intersect N. Bound. line 53 W. E. of post.
where set post cor. to Secs. 34 & 4 from which
a Beech 18 in. dia. bears N 33 E 40 W. dist. 8
a Do 13 " " " S 63 W 18 " "
Land level 3rd rate, Timber to correspond.

North Between Secs. 32 & 33 -

3.40 a Beech 18 in. dia.

40.00 Set gr. Sec. post from which
an Ash 18 in. dia. bears S 10 E 25 W. dist. 8
an Elm 13 " " " S 72 W 19 " "

43.20 a Beech 13 " "

80.00 Set post cor. to Secs. 28, 29, 32 & 33 fr. which
a Beech 18 in. dia. bears S 34 E 40 W. dist. 8
a W. Oak 5 " " " N 80 W 13 " "
3rd rate Land.

East or Random between Secs. 28 & 33 -

40.00 Set temp. gr. Sec. post.

80.27 Intersect N. line 79 W. E. of post.
3rd rate Land. fallen Timber.

West Corner between Secs. 28 & 33 -

40.13 Set gr. Sec. post at average dist. from which
a Beech 15 in. dia. bears N 30 E 24 W. dist. 8
a Do 12 " " " S 2 E 30 " "

80.27 To Sec. Corner.

North Between Secs. 28 & 29 -

24.08 a Beech 15 in. dia.

40.00 Set gr. Sec. post from which

T. D. N. - K. G. E. 2nd Mer. Indiana 61

a W. Oak 12 in. dia. bears S 75 E 22 W. dist. 8
 a Do 9 " " " S 66 W 18 " "
 42.00 at Branch 15 W. wide course W.
 55.80 an Elm 48 in. dia.
 80.00 Set post cor. to Secs. 21, 28 & 29 from which
 a W. Oak 30 in. dia. bears N 13 W 19 W. dist. 8
 a Beech 14 " " " S 30 E 32 " "

East in Random between Secs. 21 & 28 -
 40.00 Set temp. gr. Sec. post.
 80.13 Intersect M. line 38 W. & N. of post.

West Corner between Secs. 21 & 28.
 40.06 Set gr. Sec. post at average dist. from which
 a Beech 30 in. dia. bears N 40 E 8 W. dist. 8
 an Ash 10 " " " South 38 " "
 80.13 To Sec. corner.

North between Secs. 20 & 21
 10.12 a Beech 15 in. dia.
 40.00 Set gr. Sec. post from which
 a Dogwood 7 in. dia. bears S 67 W 32 W. dist. 8
 an Ironwood 6 " " " N 55 E 4 " "
 43.65 a Sugar 15 " "
 80.00 Set post cor. to Secs. 16, 17, 20 & 21 from which
 an Ash 30 in. dia. bears S 81 E 39 W. dist. 8
 a Sugar 24 " " " S 78 W 33 " "
 Land & Timber as before
 September 1st 1893 -

East in Random between Secs. 16 & 21
 40.00 Set temp. gr. Sec. post.
 80.10 Intersect M. line 70 W. & N. of post.
 3rd rate Land.

West Corner between Secs. 16 & 21 -

T. D. N. - R. G. E. 2nd Mer. Indiana

40.05 Let gr. Sec. post at average dist. from which
 at Beech 8 in. dia. bears $\text{S } 38^{\circ} \text{ W } 24$ W. dist. 8
 an Ironwood 6 " " " $\text{N } 27^{\circ} \text{ E } 12$ " "
 80.10 To Sec. Corner.

North Between Secs. 16 & 17

36.65 at Oak 36 in. dia.

40.00 Let post en. to gr. Sec. from which
 at Beech 18 in. dia. bears $\text{N } 26^{\circ} \text{ W } 50$ W. dist. 8
 an ash 9 " " " $\text{S } 17^{\circ} \text{ E } 14$ " "

60.55 at N. Oak 22 " "

80.00 Let post en. to Secs. 8 & 9. 16 & 17 from which
 at Oak 36 in. dia. bears $\text{N } 32^{\circ} \text{ E } 55$ W. dist. 8
 an ash 18 " " " $\text{S } 15^{\circ} \text{ W } 36$ " "

Sand level 3rd rate. Beech, N. Oak, Ash, Elm,
 ungth Ironwood, Ash, Hazel, Hickory &c.

East on Random between Secs. 9 & 16 -

40.00 Let temp. gr. Sec. post.

79.50 Intersect Md. line 88 W. N. of post.

Sand & Timber as before.

West corner between Secs. 9 & 16 -

39.75 Let gr. sec. post at average dist. from which
 at Oak 40 in. dia. bears $\text{S } 36^{\circ} \text{ W } 23$ W. dist. 8
 an Elm 14 " " " $\text{S } 87^{\circ} \text{ E } 31$ " "

79.50 To Sec. Corner.

North Between Secs. 8 & 9

2.47 at Sugar 12 in. dia.

40.00 Let gr. Sec. post from which
 an Elm 6 in. dia. bears $\text{S } 33^{\circ} \text{ W } 10$ W. dist. 8
 a No 6 " " " $\text{N } 60^{\circ} \text{ E } 5$ " "

61.70 at Beech 15 " "

80.00 Let post en. to Secs. 4, 5, 8 & 9 from which
 at Beech 12 in. dia. bears $\text{N } 17^{\circ} \text{ W } 12$ W. dist. 8

J. H. N. - K. G. E. 2nd Mer. Indiana 63

a Beech 10 in. dia. bears S 22 E 13 W. dist.
Land level 3rd rate.

East at Random between Secs. 4 & 9 -

40.00 Set temp. g. Sec. Post.

79.23 Intersect N. line 140 W. N. of Post.
Land level, inclining to west, 3rd rate. Timber
Beech. Ash. Elm. W. Oak. Swamp. Ash &c.

West correct between Secs. 4 & 9 -

39.61 Set g. Sec. Post at average dist. from which
a Beech 18 in. dia. bears South 6 W. dist. &
a No 12 " " " N 37 W 38 " "

79.23 To Sec. corner.

North Between Secs. 4 & 5 -

14.70 a W. Oak 20 in. dia.

17.50 Enter a Willow Swamp

27.00 Leave the do -

40.00 Set g. Sec. Post from which
a Beech 12 in. dia. bears S 30 W 16 W. dist. &
a No 10 " " " N 56 E 18 " "

52.36 an Elm 18 " "

74.67 Intersect N. Bound. line 54 W. E. of post.
where set post cor. to Secs. 4 & 5 from which
a Beech 26 in. dia. bears S 63 W 29 W. dist. &
a No 24 " " " S 53 E 19 " "

September 5th 1823 -

North Between Secs. 31 & 32

31.70 a W. Oak 20 in. dia.

40.00 Set g. Sec. Post from which
a Hickory 10 in. dia. bears S 46 E 15 W. dist. &
an Ironwood 6 " " " N 15 W 12 " "

43.50 a Hickory 18 " "

80.00 Set post cor. to Secs. 29. 30. 31 & 32 from which

T. H. N. - R. G. E. 2nd Mer. Indiana

at Beech 15 in. dia. bears N E 36 W. dist. 8
 a Do 18 " " " 48 W 33 " "
 3rd rate Land.

West Between Secs. 30 & 31

26.30 a Hickory 30 in. dia.
 40.00 Let gr. Sec. post from which
 at Beech 18 in. dia. bears North 20 W. dist. 8
 a Do 18 " " " 45 E 36 " "
 63.00 a Branch 20 W. wide corner S. W.
 77.30 Intersect N. Bound. line 20 W. S. of post.
 when set post cor. to Secs. 30 & 31 from which
 an Ash 24 in. dia. bears N 45 E 40 W. dist. 8
 a Hickory 14 " " " 43 W 8 " "
 Land & Timber as before

East on Random between Secs. 29 & 32

40.00 Let temp. gr. Sec. post.
 79.00 Intersect N. line 132 W. N. of post.

West corner between Secs. 29 & 32.

39.50 Let gr. Sec. post at average dist. from which
 a Spruce 30 in. dia. bears S 45 W 5 W. dist. 8
 at Beech 15 " " " N 32 E 36 " "
 79.00 To Sec. Corner.

North Between Secs. 29 & 30

23.04 a Walnut 28 in. dia.
 34.50 at Branch 18 W. wide corner N.
 40.00 Let gr. Sec. post from which
 at Beech 13 in. dia. bears North 119 W. dist. 8
 an Ash 6 " " " 410 W 60 " "
 50.72 at Beech 36 " "
 80.00 Let post cor. to Secs. 19, 30, 29 & 30 from which
 a Hickory 20 in. dia. bears S 10 E 20 W. dist. 8
 at Beech 15 " " " N 78 E 5 " "

T. H. N. - W. G. E. 2nd Mer. Indian 65

Land lent 2nd rate. Beech. Ash. Sugar. Oak &c

East on Random between Secs. 20 & 29 -
40.00 Set temp. gr. Sec. post.
79.05 Intersect W. line 113 W. S. of post.
Land rolling & poor.

West corner between Secs. 20 & 29 -
39.52 Set gr. Sec. post at average dist. from which
a Beech 18 in. dia. bears N 3 W 16 W. dist. 8
a Sugar 14 " " " S 10 E 10 " "
79.05 To Sec. corner.

West on Random between Secs. 19 & 30 -
6.90 a Sugar 15 in. dia. &
40.00 Set gr. Sec. post from which
a Beech 15 in. dia. bears N 30 E 4 W. dist. 8
a W. Oak 18 " " " S 2 E 18 " "
50.46 a Beech 20 " "
78.30 Intersect W. Bound. line 13 W. S. of post.
whence set post cor. to Secs. 19 & 30 from which
an Ash 9 in. dia. bears S 55 E 39 W. dist. 8
a Do 6 " " " N 53 W 9 " "
September 3rd 1823 -

North between Secs. 19 & 30 -
18.87 a W. Oak 14 in. dia.
40.00 Set gr. Sec. post from which
a Beech 28 in. dia. bears N 40 E 40 W. dist. 8
a Do 12 " " " S 50 W 14 " "
65.85 a Do 12 " "
80.00 Set post cor. to Secs. 17. 18. 19 & 20 - from which
a Beech 30 in. dia. bears S 60 E 13 W. dist. 8
a Hickory 6 " " " N 13 W 36 " "
Land lent 3rd rate. W. Oak. Immured &c -

East on Random between Secs. 17 & 20
 40.00 Let temp. gr. Sec. post.
 79.73 Intersect M. line 153 W. 1/4 of post.

West correct between Secs. 17 & 20
 39.86 Let gr. Sec. post at average dist. from which
 a Hickory 12 in. dia. bears N 84 E 25 W. dist. 8
 and ash 10 " " " S 18 E 18 " "
 79.73 To Sec. corner.

West Between Secs. 18 & 19
 29.00 a W. Oak 28 in. dia.
 31.50 at Branch 4 W. wide corner N.
 40.00 Let gr. Sec. post from which
 a Hickory 14 in. dia. bears N 12 W 12 W. dist. 8
 a Do 10 " " " S 5 W 31 " "
 58.40 at Beech 20 " "
 78.50 Intersect M. Bound. line 133 W. 1/4 of post.
 when set post cor. to Secs. 18 & 19 from which
 a Beech 9 in. dia. bears S 41 W 24 W. dist. 8
 a Do 15 " " " N 8 E 30 " "
 Sand & Timber same as before
 September 19th 1823 -

North Between Secs. 17 & 18
 4.20 a Sugar 24 in. dia.
 40.00 Let gr. Sec. post from which
 a Beech 38 in. dia. bears N 33 E 26 W. dist. 8
 a Hickory 7 " " " S 32 E 10 " "
 53.30 at Beech 18 " "
 80.00 Let post cor. to Secs. 17 & 18 from which
 a W. Oak 28 in. dia. bears S 51 W 10 W. dist. 8
 an Ironwood 7 " " " N 80 E 24 " "
 Sand level 3rd rate.

East on Random between Secs. 18 & 17 -

T. H. N. - R. G. E. 2nd Mer. Indian 67

40.00 Set temp. gr. Sec. Post.
 80.10 Intersect W. line 200 W. N. of Post.

West between Secs. 8 & 17
 40.05 Set gr. Sec. Post at average dist. from which
 a Sugar 12 in. dia. bears S 39 E 30 W. dist. 8
 an Ash 4 " " " N 56 W 20 " "
 80.10 To Sec. Corner.

West between Secs. 7 & 18
 17.30 a W. Oak 28 in. dia.
 40.00 Set gr. Sec. Post from which
 an Ash 5 in. dia. bears East 5 W. dist. 8
 an Elm 4 " " " N 85 W 4 " "
 53.36 a W. Oak 12 " "
 73.00 a Branch 10 W. wide Course North.
 77.34 Intersect W. Bound. line 138 W. N. of Post.
 when Set Post Cn. to Secs. 7 & 18 from which
 an Ironwood 8 in. dia. bears N 15 W 19 W. dist. 8
 a W. Oak 5 " " " S 5 E 22 " "

North between Secs. 7 & 8
 7.00 a W. Oak 36 in. dia.
 7.53 a Branch 20 W. wide Course N.
 36.00 a Birch 18 in. dia.
 40.00 Set gr. Sec. Post from which
 an Ash 10 in. dia. bears S 58 W 17 W. dist. 8
 a W. Oak 7 " " " N 31 E 25 " "
 46.62 a Birch 30 " "
 80.00 Set Post Cn. to Secs. 5 & 6. 7 & 8 from which
 a Birch 12 in. dia. bears N 48 E 8 W. dist. 8
 a Do 10 " " " S 53 W 30 " "

East on Random between Secs. 5 & 8
 40.00 Set temp. gr. Sec. Post.
 79.05 Intersect W. line 210 W. N. of Post.

T. H. N. - R. G. W. 2nd Mer. IndianaLand level 3rd rate.

West Corner between Secs. 578.

39.53 Set gr. Sec. Post at average dist. from which
 a Hickory 18 in. dia. bears S 15 W 22 W. dist. 8
 a Beech 15 " " " N 36 E 22 " "
 79.05 To Sec. Corner.

West Between Secs. 647

10.75 a Beech 22 in. dia.
 23.00 Enter a Swamp.
 30.50 Leave the Do
 40.00 Set gr. Sec. Post from which
 a Beech 30 in. dia. bears S 41 W 15 W. dist. 8
 a Do 14 " " " N 32 W 18 " "
 54.30 a R. Oak 12 " "
 77.05 Intersect N. Bound. line 296 W. & N. of Post.
 when set Post cor. to Sec. 647 from which
 a Beech 38 in. dia. bears N 35 E 46 W. dist. 8
 a Do 20 " " " S 3 E 20 " "
 Land & Timber as before.

North Between Secs. 546

5.00 an Ash 30 in. dia.
 40.00 Set gr. Sec. Post from which
 a W. Oak 14 in. dia. bears S 17 W 10 W. dist. 8
 a Do 7 " " " East 11 " "
 53.46 a Hickory 34 " "
 73.40 Intersect N. Bound. line 76 W. & E. of Post.
 when set Post cor. to Sec. 546 from which
 a W. Oak 14 in. dia. bears S 88 E 22 W. dist. 8
 a Hickory 16 " " " S 16 E 24 " "
 Land level 3rd rate. Beech. Ash. Hickory &c.
 September 8th 1853 Surveyed by
 John Hendricks A. S.

T. H. N. - R. G. E. 2nd Mer. Indiana 69

I Certify that the foregoing transcript of the
Field Notes of Township 24 North, in Range
9 East of the 2nd Meridian, in Indiana,
has been compared with the original in
this office, and found to be correct.

Surveyor General's Office, 3 William Houston
Cincinnati April 25th 1843 Sur. Genl.